05/19/2021	Kit Components
Product code	Description
AS1640	Maxwell® RSC Buccal Swab DNA Kit
Components:	
MC109	Ethanol Solution
AA399	Nanopure Water, (N/A)
MC504	Wash Buffer
MC302	Maxwell® C Resin
MC101	Binding Buffer
K106	Isopropanol Solution
A828D	Elution Buffer
MC501C	Lysis Buffer
MC500C	Proteinase K (PK) Solution



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Ethanol Solution</u>

Article number: MC109 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2 Hazard(s) identification

Classification of the substance or mixture



Flam. Liq. 3 H226 Flammable liquid and vapor.

#### Label elements

*GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms* 



Signal word Warning Hazard statements Flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Ethanol Solution

In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable	
Target Organ(s):	
May cause Liver damage (Hepatotoxin)	
May affect Nervous system (Neurotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
vPvB: Not applicable.	

# **3** Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

Additional information: For the wording of the listed risk phrases refer to section 15.

## **4 First-aid measures**

#### Description of first aid measures

General information: Immediately remove any clothing soiled by the product.After inhalation: If the patient feels unwell or is concerned, obtain medical advice.After skin contact: Generally the product does not irritate the skin.After eye contact: Rinse opened eye for several minutes under running water.After swallowing: If the patient feels unwell or is concerned, obtain medical advice.Information for doctor:Most important symptoms and effects, both acute and delayedHeadacheDizzinessNauseaIndication of any immediate medical attention and special treatment neededNo further relevant information available.

## **5** Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

75-100%

<sup>-</sup> US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Ethanol Solution

Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective equipment. Keep unprotected persons away.
Keep away from ignition sources
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

**Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

**Control parameters** 

*Components with limit values that require monitoring at the workplace:* 

## 64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

(Contd. of page 2)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Ethanol Solution

(Contd. of page 3)

Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands:
Protective gloves
Select the glove material considering penetration time, rate of diffusion and degradation time.
It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive
89/686/EEC and the standard EN 374 derived from it.
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

*Eye protection:* Use equipment for eye protection tested and approved under government NIOSH standards.

# 9 Physical and chemical properties

\*

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	24.6 °C (76.3 °F) (EPA 1010)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	Product is not explosive. However, formation of explosive air/vap
	mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.828 g/cm³ (6.90966 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
	(Contd. on page

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Ethanol Solution

		(Contd. of page 4
Partition coefficient (n-octand	nl/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	80.0 %	
Water:	20.0 %	
VOC content:	80.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

#### **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: No sensitizing effects known. Additional toxicological information: When used and handled according to specifications, the product does not have

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

NTP (National Toxicology Program)

None of the ingredients are listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 6)

1

US

Printing date 05/19/2021

Reviewed on 05/19/2021

#### **Trade name: Ethanol Solution**

(Contd. of page 5)

# **12 Ecological information**

**Toxicity** 

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

Waste treatment methods

**Recommendation:** 

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN1170
UN proper shipping name	
DOT	Ethanol solutions
ADR	1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IMDG	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
IATA	ETHANOL SOLUTION

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Ethanol Solution

Transport hazard class(es) DOT Class 3 Flammable liquids Label 3 ADR Class 3 (F1) Flammable liquids Label 3 Class 3 (F1) Flammable liquids Label 3 IMDG, IATA Coordinate Statement of the stateme		(Contd. of page
Class       3 Flammable liquids         Label       3         ADR       5         Class       3 (F1) Flammable liquids         Label       3         Label       3         Label       3         MDG, LATA       3         Volume       3         Packing group       3         DOT, ADR, IMDG, LATA       11         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       EMS Number:         F-E, S-D       Stowage Category         A       A         Transport in bulk according to Annex II of       Not applicable.         Transport/Additional information:       AO         ADR       Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml       Maximum net quantity per outer packaging: 30 ml         Maximum net quantity per outer packaging: 30 ml       Maximum net quantity per outer packaging: 30 ml	Transport hazard class(es)	
Label3ADRClass3 (F1) Flammable liquidsLabel3Label3IMDG, IATAClass3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Packing group DOT, ADR, IMDG, LATAIIIDOT, ADR, IMDG, LATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code: 30EMS Number:FE_S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	DOT	
Label3ADRClass3 (F1) Flammable liquidsLabel3Label3IMDG, IATAClass3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Packing group DOT, ADR, IMDG, LATAIIIDOT, ADR, IMDG, LATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code: 30EMS Number:FE_S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Label3ADRClass3 (F1) Flammable liquidsLabel3Label3IMDG, IATAClass3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Packing groupIIIDOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user EMS Number:Warning: Flammable liquidsJapan Packing coup DOT, ADR, IMDG, IATANoSpecial precautions for user Marine pollutant:NoSpecial precautions for user Marpol 73/78 and the IBC CodeNot applicable.Transport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport /Additional information: ADR Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 1000 ml	RAMMARE LIQUO	
Label3ADRClass3 (F1) Flammable liquidsLabel3Label3IMDG, IATAClass3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Packing group DOT, ADR, IMDG, LATAIIIDOT, ADR, IMDG, LATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code: 30EMS Number:FE_S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	3	
Label3ADRClass3 (F1) Flammable liquidsLabel3Label3IMDG, IATAClass3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Class3 Flammable liquidsLabel3Packing group DOT, ADR, IMDG, LATAIIIDOT, ADR, IMDG, LATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code: 30EMS Number:FE_S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Class	3 Flammable liquids
Class3 (F1) Flammable liquidsLabel3Label3INDG, LATA3Class3 Flammable liquidsClass3 Flammable liquidsLabel3Packing group DOT, ADR, IMDG, LATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code):Warning: Flammable liquidsSpecial precautions for user Marsner:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlINDG Limited quantities (EQ)Sl. Code: E1 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Label       3         IMDG, IATA       IMDG, IATA         View       3         Class       3 Flammable liquids         Label       3         Packing group       III         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       Limited quantities (EQ)       5L         Excepted quantities (EQ)       5L         Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	ADR	
Label       3         IMDG, IATA       IMDG, IATA         Impose       3         Class       3 Flammable liquids         Label       3         Packing group       III         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       Limited quantities (EQ)       5L         Excepted quantities (EQ)       5L         Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Label       3         IMDG, IATA       IMDG, IATA         View       3         Class       3 Flammable liquids         Label       3         Packing group       3         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL7378 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       SL         Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Label       3         IMDG, IATA       IMDG, IATA         View       3         Class       3 Flammable liquids         Label       3         Packing group       III         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       Limited quantities (EQ)       5L         Excepted quantities (EQ)       5L         Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	3	
Label       3         IMDG, IATA       IMDG, IATA         Impose       3         Class       3 Flammable liquids         Label       3         Packing group       III         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       Limited quantities (EQ)       5L         Excepted quantities (EQ)       5L         Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	•	
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       111         DOT, ADR, IMDG, IATA       111         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code):       30         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of       Matimum net quantity per inner packaging: 30 ml         MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml       Maximum net quantity per outer packaging: 1000 ml         IMDG       SL         Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml       Maximum net quantity per outer packaging: 1000 ml	Class	3 (F1) Flammable liquids
IMDG, IATA         View         Class       3 Flammable liquids         Label       3         Packing group       III         DOT, ADR, IMDG, IATA       III         Environmental hazards:       No         Marine pollutant:       No         Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       ADR         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       SL         Limited quantities (LQ)       SL         Excepted quantities (EQ)       SL         Code: E1       Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Label	3
ViewSecond Second S	IMDG. IATA	
Label3Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 3030EMS Number: EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml	<u> </u>	
Label3Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 3030EMS Number: EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
Label3Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 3030EMS Number: EMS Number:F-E, S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml	3	
Label3Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code): 3030EMS Number: EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml	<b>V</b>	
Packing group DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):30EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
DOT, ADR, IMDG, IATAIIIEnvironmental hazards: Marine pollutant:NoSpecial precautions for user Hazard identification number (Kemler code): 30Warning: Flammable liquidsEMS Number: Stowage CategoryF-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		3
Environmental hazards: Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):30EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL 73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)SL Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		111
Marine pollutant:NoSpecial precautions for userWarning: Flammable liquidsHazard identification number (Kemler code):30EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		111
Special precautions for user       Warning: Flammable liquids         Hazard identification number (Kemler code): 30       30         EMS Number:       F-E,S-D         Stowage Category       A         Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Not applicable.         ADR       Code: E1         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IMDG         Limited quantities (EQ)       SL         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per inner packaging: 1000 ml		No
Hazard identification number (Kemler code): 30EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (EQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
EMS Number:F-E,S-DStowage CategoryATransport in bulk according to Annex II of MARPOL 73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 1000 ml		
Stowage CategoryATransport in bulk according to Annex II of MARPOL73/78 and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Not applicable.         ADR       Code: E1         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml         IMDG       5L         Limited quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 1000 ml         MAR       SL         Excepted quantities (EQ)       SL         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml		
MARPOL73/78 and the IBC Code       Not applicable.         Transport/Additional information:       Kerror Code: E1         ADR       Code: E1         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IMDG         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml		
Transport/Additional information:         ADR         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml         IMDG         Limited quantities (LQ)       5L         Excepted quantities (EQ)       Code: E1         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 1000 ml		Not applicable.
ADRExcepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDGImited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	Transport/Additional information:	
Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 mlIMDG Limited quantities (LQ)5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		Code: E1
Maximum net quantity per outer packaging: 1000 mlIMDGLimited quantities (LQ)5LExcepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 1000 ml	(-2)	
Limited quantities (LQ)5LExcepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 1000 ml		Maximum net quantity per outer packaging: 1000 ml
Excepted quantities (EQ)Code: E1Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 1000 ml	IMDG	
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml		
Maximum net quantity per outer packaging: 1000 ml	Excepted quantities (EQ)	
		Maximum net quantity per outer packaging: 1000 ml (Contd. on page

Printing date 05/19/2021

Reviewed on 05/19/2021

(Contd. of page 7)

Trade name: Ethanol Solution

UN "Model Regulation":

UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

New Jersey Right-to-Know List:

64-17-5 ethanol

Pennsylvania Right-to-Know List:

64-17-5 ethanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Warning Hazard statements Flammable liquid and vapor. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

AЗ

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Ethanol Solution

(Contd. of page 8)

Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

*Water nazara class: Water nazara class 1 (Self-assessment): slightly nazaraous for water Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Department issuing SDS:** Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: Date of preparation / last revision 05/19/2021 / 13.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids - Category 3 \* Data compared to the previous version altered.



Printing date 05/19/2021

Reviewed on 05/19/2021

## **1** Identification

Product identifier Trade name: Nanopure Water, (N/A)

Article number: AA399 CAS Number: 7732-18-5 EC number: 231-791-2 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 **Emergency telephone number:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

#### Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable.

(Contd. on page 2)

US

Page 1/7

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Nanopure Water, (N/A)

vPvB: Not applicable.

(Contd. of page 1)

# 3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 7732-18-5 water EC number: 231-791-2

# 4 First-aid measures

#### Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Nanopure Water, (N/A)

(Contd. of page 2)

#### 7 Handling and storage

#### Handling:

**Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None. **Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

**Control parameters** 

*Components with limit values that require monitoring at the workplace: Not required. Additional information: The lists that were valid during the creation were used as basis.* 

Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Eye protection: Not required.

#### 9 Physical and chemical properties

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
<b>Decomposition temperature:</b>	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
		(Contd. on page 4)

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Nanopure Water, (N/A)

		(Contd. of page
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1 g/cm <sup>3</sup> (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Water:	100.0 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

Reactivity No further relevant information available.

Chemical stability

*Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known.

*Conditions to avoid* No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

# NTP (National Toxicology Program)

Substance is not listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 5)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Nanopure Water, (N/A)

(Contd. of page 4)

# **12 Ecological information**

**Toxicity** Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### Waste treatment methods

#### **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group	None	
DOT, ADR, IMDG, IATA	Not applicable	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Nanopure Water, (N/A)

		(Contd. of page 5)
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	<b>of</b> Not applicable.	
UN "Model Regulation":	Not applicable	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

New Jersey Right-to-Know List:

Substance is not listed.

Pennsylvania Right-to-Know List:

Substance is not listed.

#### Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

(Contd. on page 7)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Nanopure Water, (N/A)

#### Chemical safety assessment

*Water hazard class: Generally not hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.* 

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: Date of preparation / last revision 05/19/2021 / 2.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* Data compared to the previous version altered.

(Contd. of page 6)



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Wash Buffer</u>

*Article number: MC504 Application of the substance / the mixture For Laboratory Use* 

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

*Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).* 

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Wash Buffer

(Contd. of page 1)

#### 3 Composition/information on ingredients

#### Chemical characterization: Mixtures

#### **Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components:

Polyethlyene Glycol

5-10%

# 4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

Additional information: For the wording of the listed risk phrases refer to section 15.

*After skin contact: Generally the product does not irritate the skin.* 

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

*CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture* 

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Wash Buffer

7 Handling and storage

#### Handling:

**Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

**Control parameters** 

Components with limit values that require monitoring at the workplace:

Polyethlyene Glycol

WEEL Long-term value: 10 mg/m<sup>3</sup> (H); MW>200

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: Not required.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Fluid	
Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	6.2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Wash Buffer

		(Contd. of page
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wo	uter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Water:	86.4 %	
VOC content:	0.00 %	
Solids content:	7.7 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations: (Contd. on page 5)

US –

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Wash Buffer

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

*NTP (National Toxicology Program) None of the ingredients are listed.* 

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

# **12 Ecological information**

#### Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### Waste treatment methods

#### **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information		
UN-Number	Not hazardous for transportation	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Wash Buffer

		(Contd. of page
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group	None	
DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

26628-22-8 sodium azide

Pennsylvania Right-to-Know List:

26628-22-8 sodium azide

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

(Contd. on page 7)

US -

Printing date 05/19/2021

Reviewed on 05/19/2021

(Contd. of page 6)

#### Trade name: Wash Buffer

26628-22-8 sodium azide

TLV (Threshold Limit Value established by ACGIH)

A4: Not classifiable as human carcinogen

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

*Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.* 

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: **Date of preparation / last revision** 05/19/2021 / 3.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* Data compared to the previous version altered.



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Maxwell® C Resin</u>

*Article number: MC302 Application of the substance / the mixture* For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

*Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).* 

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Maxwell® C Resin

(Contd. of page 1)

#### 3 Composition/information on ingredients

#### Chemical characterization: Mixtures

#### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components: Not applicable

Additional information: For the wording of the listed risk phrases refer to section 15.

#### 4 First-aid measures

Description of first aid measures

General information: No special measures required.

- After inhalation: If the patient feels unwell or is concerned, obtain medical advice.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water.
- *After swallowing:* If the patient feels unwell or is concerned, obtain medical advice.
- Information for doctor:

*Most important symptoms and effects, both acute and delayed None* 

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 3)

Printing date 05/19/2021

Reviewed on 05/19/2021

## Trade name: Maxwell® C Resin

(Contd. of page 2)

#### 7 Handling and storage

#### Handling:

**Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** None.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

*Additional information:* The lists that were valid during the creation were used as basis.

#### **Exposure** controls

Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance

varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. *Eye protection:* Not required.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Maxwell® C Resin

		(Contd. of page
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:	· ·	
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.01507 g/cm <sup>3</sup> (8.47076 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:	,	
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Solvent separation test		
Water:	99.0 %	
VOC content:	0.00 %	
Solids content:	0.5 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(Contd. on page 5)

<sup>—</sup> US —

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Maxwell® C Resin

(Contd. of page 4)

NTP (National Toxicology Program)

None of the ingredients are listed.

#### **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

# **12 Ecological information**

#### Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment *PBT:* Not applicable. **vPvB:** Not applicable. Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### Waste treatment methods

**Recommendation:** 

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)	None	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Maxwell® C Resin

		(Contd. of page 5
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group	None	
DOT, ADR, ÎMDG, IATA	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):
None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
TSCA (Toxic Substances Control Act) Inventory:
All ingredients are listed.
Hazardous Air Pollutants
None of the ingredients are listed.
Proposition 65
Chemicals known to cause cancer:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for females:
None of the ingredients are listed.
Chemicals known to cause reproductive toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
New Jersey Right-to-Know List:
9004-34-6 Cellulose
26628-22-8 sodium azide
Pennsylvania Right-to-Know List:
9004-34-6 Cellulose
26628-22-8 sodium azide
Cancerogenity categories
EPA (Environmental Protection Agency)
None of the ingredients are listed.
(Contd. on page 7)

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Maxwell® C Resin

26628-22-8 sodium azide

(Contd. of page 6)

TLV (Threshold Limit Value established by ACGIH)

A4: Not classifiable as human carcinogen

## NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

*Water hazard class:* Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: **Date of preparation / last revision** 05/19/2021 / 3.0 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* Data compared to the previous version altered.

10



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Binding Buffer</u>

Article number: MC101 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

#### 2 Hazard(s) identification

*Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).* 

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 2)

Page 1/7

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Binding Buffer

(Contd. of page 1)

#### 3 Composition/information on ingredients

#### Chemical characterization: Mixtures

#### **Description:**

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

#### Dangerous components:

Polyethlyene Glycol

20-25%

# 4 First-aid measures

#### Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

Additional information: For the wording of the listed risk phrases refer to section 15.

*After skin contact: Generally the product does not irritate the skin.* 

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

#### Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

#### 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.

 Environmental precautions:

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Reference to other sections

 No dangerous substances are released.

 See Section 7 for information on safe handling.

 See Section 13 for disposal information.

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Binding Buffer

7 Handling and storage

#### Handling:

**Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

**Requirements to be met by storerooms and receptacles:** No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

**Control parameters** 

Components with limit values that require monitoring at the workplace:

Polyethlyene Glycol

WEEL Long-term value: 10 mg/m<sup>3</sup> (H); MW>200

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: Not required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	6.4	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Binding Buffer

	(Contd. of page
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	>0 hPa
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water)	: Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent separation test	
Water:	56.6 %
VOC content:	0.00 %
Solids content:	43.3 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations: (Contd. on page 5)

US –

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Binding Buffer

(Contd. of page 4)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

*NTP (National Toxicology Program) None of the ingredients are listed.* 

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

# **12 Ecological information**

#### Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### Waste treatment methods

#### **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	None	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Binding Buffer

		(Contd. of page
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA		
Class	Not applicable	
Packing group	None	
DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not applicable	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

26628-22-8 sodium azide

Pennsylvania Right-to-Know List:

26628-22-8 sodium azide

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

(Contd. on page 7)

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Binding Buffer

(Contd. of page 6)

26628-22-8 sodium azide

A4: Not classifiable as human carcinogen

# NIOSH-Ca (National Institute for Occupational Safety and Health)

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

*Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.* 

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: **Date of preparation / last revision** 05/19/2021 / 3.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* Data compared to the previous version altered.

ogen



#### Printing date 05/19/2021

Reviewed on 05/19/2021

Page 1/11

# **1 Identification**

Product identifier Trade name: <u>Isopropanol Solution</u>

*Article number:* K106 *Application of the substance / the mixture* For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

*Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.* 

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor.

(Contd. on page 2)

Printing date 05/19/2021

Reviewed on 05/19/2021

# Trade name: Isopropanol Solution

(Contd. of page 1)
Causes serious eye irritation.
May cause drowsiness or dizziness.
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 2
Fire = 3
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = 2
Fire = 3
Reactivity = $0$ OSH A Harard Quantized (Criteria according to 20CEP1010 1200).
<b>OSHA Hazard Overview (Criteria according to 29CFR1910.1200):</b> Irritant
Flammable
Primary route(s) of entry: Dermal
Inhalation Transt Organ(a):
Target Organ(s):
May affect Nervous system (Neurotoxin)
May cause Kidney damage (Nephrotoxin)
Other hazards
Results of PBT and vPvB assessment
<b>PBT:</b> Not applicable.
vPvB: Not applicable.

# 3 Composition/information on ingredients

## Chemical characterization: Mixtures

**Description:** 

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

(Contd. on page 3)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Isopropanol Solution

(Contd. of page 2)

50-75%

Dangerous components:

67-63-0 2-Propanol

Additional information: For the wording of the listed risk phrases refer to section 15.

# 4 First-aid measures

Description of first aid measures General information: Take affected persons out into the fresh air. Take affected persons out of danger area and lay down. After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet. *After skin contact: Generally the product does not irritate the skin.* After eve contact: Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor. *After swallowing:* If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed Headache Dizziness Nausea Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources Wear protective clothing. Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

(Contd. on page 4)

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Isopropanol Solution

#### Reference to other sections

See Section 7 for information on safe handling. See Section 13 for disposal information.

# 7 Handling and storage

#### Handling:

**Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

#### 67-63-0 2-Propanol

PEL Long-term value: 980 mg/m<sup>3</sup>, 400 ppm

- REL Short-term value: 1225 mg/m<sup>3</sup>, 500 ppm Long-term value: 980 mg/m<sup>3</sup>, 400 ppm
- TLV Short-term value: 984 mg/m<sup>3</sup>, 400 ppm Long-term value: 492 mg/m<sup>3</sup>, 200 ppm BEI

#### Ingredients with biological limit values:

#### 67-63-0 2-Propanol

BEI 40 mg/L Medium: urine

*Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)* 

Additional information: The lists that were valid during the creation were used as basis.

# Exposure controls

Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 5)

(Contd. of page 3)

US

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Isopropanol Solution

Do not eat or drink while working.

# Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

# Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** 

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

<b>Physical and chemical proper</b>	ties
Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
<b>Decomposition temperature:</b>	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
0 7 1	Product is not explosive. However, formation of explosive air/vapo
	mixtures are possible.
Explosion limits:	1
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.8495 g/cm <sup>3</sup> (7.08908 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	•
	(Contd. on page

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Isopropanol Solution

		(Contd. of page
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	70.0 %	
Water:	30.0 %	
VOC content:	70.00 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects

Acute toxicity:

*LD/LC50* values that are relevant for classification:

#### 67-63-0 2-Propanol

 Oral
 LD50
 4570 mg/kg (Rat)

 Dermal
 LD50
 13400 mg/kg (Rat)

 Inhalative
 LC50/4 h
 30 mg/l (Rat)

#### Primary irritant effect:

on the skin: No data available.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

## Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

## Carcinogenic categories

IARC (International Agency for Research on Cancer)

67-63-0 2-Propanol

## NTP (National Toxicology Program)

None of the ingredients are listed.

## **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 7)

3

Printing date 05/19/2021

Reviewed on 05/19/2021

#### **Trade name: Isopropanol Solution**

(Contd. of page 6)

# **12 Ecological information**

**Toxicity** 

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

Waste treatment methods

**Recommendation:** 

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol)
ADR	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANO
	(ISOPROPYL ALCOHOL))
IMDG	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROP
	ALCOHOL))
IATA	FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROP
	ALCOHOL) solution)

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Isopropanol Solution

	(Contd. of pag
Transport hazard class(es)	
DOT	
R.AMAGE LIQUO	
Class	3 Flammable liquids
Label	3
ADR	
<b>V</b>	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	N.
Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code	Warning: Flammable liquids
EMS Number:	<i>F-E,S-E</i>
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on pag

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Isopropanol Solution

(Contd. of page 8)

UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL)), 3, III

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

67-63-0 2-Propanol

Pennsylvania Right-to-Know List:

67-63-0 2-Propanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

67-63-0 2-Propanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

*GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

(Contd. on page 10)

A4

<sup>-</sup> US

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Isopropanol Solution

(Contd. of page 9)
Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

*Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: **Date of preparation / last revision** 05/19/2021 / 9.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

<sup>—</sup> U

Printing date 05/19/2021

Reviewed on 05/19/2021

# Trade name: Isopropanol Solution

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 **\* Data compared to the previous version altered.**  (Contd. of page 10)

US -



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Elution Buffer</u>

*Article number:* A828D *Application of the substance / the mixture* For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## 2 Hazard(s) identification

*Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).* 

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 0*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable Target Organ(s): Not applicable or unknown **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

Page 1/7

(Contd. on page 2)

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Elution Buffer

(Contd. of page 1)

## 3 Composition/information on ingredients

#### Chemical characterization: Mixtures

#### Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: Not applicable

## 4 First-aid measures

#### Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **5** Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

## **6** Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Dilute with plenty of water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

# 7 Handling and storage

Handling:

**Precautions for safe handling** No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

(Contd. on page 3)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Elution Buffer

(Contd. of page 2)

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

#### Exposure controls

Personal protective equipment: General protective and hygienic measures:

*The usual precautionary measures for handling chemicals should be followed.* 

Breathing equipment: Not required.

**Protection of hands:** Not required.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

9 Physical and chemical properti	les
----------------------------------	-----

General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.99929 g/cm <sup>3</sup> (8.33908 lbs/gal)	

\_\_\_\_\_US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Elution Buffer

		(Contd. of page
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Solvent separation test		
Water:	99.7 %	
VOC content:	0.00 %	
Solids content:	0.2 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

**Reactivity** No further relevant information available.

Chemical stability

*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.* 

**Possibility of hazardous reactions** No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:

#### Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

# **OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 5)

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Elution Buffer

**12 Ecological information** 

**Toxicity** Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

# **13 Disposal considerations**

# Waste treatment methods

## **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

# Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation
DOT, ADR, IMDG, IATA	Not applicable
UN proper shipping name	None
DOT, ADR, ADN, IMDG, IATA	Not applicable
Transport hazard class(es)	None
DOT, ADR, ADN, IMDG, IATA Class	Not applicable
Packing group	None
DOT, ADR, IMDG, IATA	Not applicable
Environmental hazards:	Not applicable.

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Elution Buffer

icable.
icubie.
icable.
icable
1

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

None of the ingredients are listed.

Pennsylvania Right-to-Know List:

None of the ingredients are listed.

#### Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable Chemical safety assessment

Water hazard class: Generally not hazardous for water.

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Elution Buffer

(Contd. of page 6)

# Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Department issuing SDS:**

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330

#### Contact:

Date of preparation / last revision 05/19/2021 / 2.0 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit \* Data compared to the previous version altered.



#### Printing date 05/19/2021

Reviewed on 05/19/2021

Page 1/9

# **1 Identification**

Product identifier Trade name: Lysis Buffer

*Article number: MC501C Application of the substance / the mixture For Laboratory Use* 

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

STOT SE 2 H371 May cause damage to organs.

GHS07

Acute Tox. 4H302Harmful if swallowed.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.

Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Warning

*Hazard-determining components of labeling:* guanidinium chloride sodium dodecyl sulphate

(Contd. on page 2)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

# Trade name: Lysis Buffer

(C	Contd. of page 1)
Hazard statements	10 /
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause damage to organs.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves / eye protection / face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	d easy to do.
Continue rinsing.	
IF exposed or concerned: Call a poison center/doctor.	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 1	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = *2	
Fire = 1	
Reactivity = 0	
<b>OSHA Hazard Overview (Criteria according to 29CFR1910.1200):</b> Irritant	
Primary route(s) of entry:	
Dermal	
Oral	
Target Organ(s):	
May affect Nervous system (Neurotoxin)	
May cause behavioral changes	
May affect Bones	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<b>vPvB:</b> Not applicable.	

# 3 Composition/information on ingredients

# Chemical characterization: Mixtures

Description:

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangero	us components:	
50-01-1	guanidinium chloride	38.212%
57-13-6	urea	25-50%
	·	(Contd. on page 3)
		US

(Contd. of page 2)

1-5%

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Lysis Buffer

151-21-3 sodium dodecyl sulphate

# 4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

None No fuuth ou uo

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 4)

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Lysis Buffer

7 Handling and storage

#### Handling:

**Precautions for safe handling** Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities Storage: **Requirements to be met by storerooms and receptacles:** No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

#### *Control parameters*

#### Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 57-13-6 urea

WEEL Long-term value: 10 mg/m<sup>3</sup>

Additional information: The lists that were valid during the creation were used as basis.

#### **Exposure** controls

Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

# **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### **Protection of hands:**

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Eye protection:

Safety glasses

(Contd. on page 5)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

(Contd. of page 4)

# Trade name: Lysis Buffer

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and che	mical properties
General Information	micui properties
Appearance:	
Form:	Fluid
Color:	Not determined.
Odor:	Not determined
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	6.4
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	149 °C (300.2 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	1.24757 g/cm³ (10.41097 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent separation test	
Water:	12.1 %
VOC content:	0.00 %
Solids content:	76.0 %
Other information	No further relevant information available.

# 10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with strong acids and oxidizing agents. Conditions to avoid No further relevant information available.

(Contd. on page 6)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Lysis Buffer

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects

# Acute toxicity:

*LD/LC50* values that are relevant for classification:

50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit)
		Severe Irritation

# Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

# 12 Ecological information

Toxicity

Aquatic toxicity: Not available No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 7)

(Contd. of page 5)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Lysis Buffer

(Contd. of page 6)

Other adverse effects No further relevant information available.

## **13 Disposal considerations**

## Waste treatment methods

# **Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	: <b>II of</b> Not applicable.	
UN "Model Regulation":	Not applicable	

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 8)

US -

Printing date 05/19/2021

Reviewed on 05/19/2021

# Trade name: Lysis Buffer

Proposition 65	(Contd. of page
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
New Jersey Right-to-Know List:	
None of the ingredients are listed.	
Pennsylvania Right-to-Know List:	
None of the ingredients are listed.	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
57-13-6 urea	
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients are listed.	
<b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b> None of the ingredients are listed.	
Hazard-determining components of labeling: guanidinium chloride guanidinium dodecyl sulphate	
Hazard statements	
Harmful if swallowed. Causes skin irritation.	
Causes serious eye irritation.	
May cause damage to organs.	
Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves / eye protection / face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water.	· C 1 1
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, i Continue rinsing.	if present and easy to a
IF exposed or concerned: Call a poison center/doctor.	
Rinse mouth.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
<i>If eye irritation persists: Get medical advice/attention.</i>	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international r	regulations
Chemical safety assessment	Czaranons.
	<i>а</i> и
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for wate	er. (Contd. on pag

(Contd. on page 9)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Lysis Buffer

*Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330

#### Contact:

Date of preparation / last revision 05/19/2021 / 5.0 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 \* Data compared to the previous version altered.



#### Printing date 05/19/2021

Reviewed on 05/19/2021

# **1 Identification**

Product identifier Trade name: <u>Proteinase K (PK) Solution</u>

Article number: MC500C Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2 Hazard(s) identification

Classification of the substance or mixture

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Label elements

*GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms* 



Signal word Danger

 Hazard-determining components of labeling:

 Proteinase, Tritirachium album serine

 Hazard statements

 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

 Precautionary statements

 Avoid breathing dust/fume/gas/mist/vapors/spray

 [In case of inadequate ventilation] wear respiratory protection.

 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

 If experiencing respiratory symptoms: Call a poison center/doctor.

 Dispose of contents/container in accordance with local/regional/national/international regulations.

US

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Proteinase K (PK) Solution

(Contd. of page 1)

Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) Health  $= \overline{2}$ Fire = 1 Reactivity = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant Sensitizer **Primary route(s) of entry:** Inhalation Target Organ(s): May cause Kidney damage (Nephrotoxin) **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

#### Chemical characterization: Mixtures

**Description:** 

The product is made up of a mixture of hazardous and non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous	components:
-----------	-------------

56-81-5 glycerol

39450-01-6 Proteinase, Tritirachium album serine

# 4 First-aid measures

#### Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. *After skin contact:* Generally the product does not irritate the skin.

*After eye contact:* Rinse opened eye for several minutes under running water.

*After swallowing:* If the patient feels unwell or is concerned, obtain medical advice. *Information for doctor:* 

*Most important symptoms and effects, both acute and delayed Allergic reactions Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

# **5** Fire-fighting measures

#### Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

25-50%

1-5%

US

Printing date 05/19/2021

Reviewed on 05/19/2021

## Trade name: Proteinase K (PK) Solution

Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

## 7 Handling and storage

#### Handling:

**Precautions for safe handling** Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Work only in fume cabinet. **Information about protection against explosions and fires:** Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 56-81-5 glycerol

PEL Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

mist; \*total dust \*\*respirable fraction

*TLV TLV withdrawn-insufficient data human occup. exp.* 

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

----US

(Contd. of page 2)

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Proteinase K (PK) Solution

(Contd. of page 3)

Exposure controls
Personal protective equipment:
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not eat or drink while working.
Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands:
Protective gloves
Select the glove material considering penetration time, rate of diffusion and degradation time.
It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Eye protection:

# Safety glasses

\*

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and c	chemical properties	
General Information		
Appearance: Form:	Fluid	
Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7.2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	160 °C (320 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	400 °C (752 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	<0.1 hPa	
Density at 20 °C (68 °F):	1.119 g/cm <sup>3</sup> (9.33806 lbs/gal)	
Relative density	Not determined.	

Printing date 05/19/2021

Reviewed on 05/19/2021

Trade name: Proteinase K (PK) Solution

		(Contd. of page
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:	·	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent separation test		
Organic solvents:	50.0 %	
Water:	47.8 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

**Reactivity** No further relevant information available.

Chemical stability

*Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known. *Conditions to avoid* No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: Sensitization possible through inhalation. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

# Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients are listed.

(Contd. on page 6)

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Proteinase K (PK) Solution

(Contd. of page 5)

# **12 Ecological information**

**Toxicity** Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

## **13 Disposal considerations**

Waste treatment methods

**Recommendation:** 

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

# 14 Transport information

1 r 1 ransport information		
UN-Number DOT, ADR, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
		(Contd. on page 7)

Printing date 05/19/2021

Reviewed on 05/19/2021

(Contd. of page 6)

Trade name: Proteinase K (PK) Solution

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation":

Not applicable

# **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

56-81-5 glycerol

Hazardous Air Pollutants

None of the ingredients are listed.

**Proposition 65** 

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

56-81-5 glycerol

Pennsylvania Right-to-Know List:

56-81-5 glycerol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

*GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

Hazard-determining components of labeling:

Proteinase, Tritirachium album serine

Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 8)

US

Printing date 05/19/2021

Reviewed on 05/19/2021

#### Trade name: Proteinase K (PK) Solution

(Contd. of page 7)

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray [In case of inadequate ventilation] wear respiratory protection. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. Dispose of contents/container in accordance with local/regional/national/international regulations. **Chemical safety assessment** 

*Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Contact: Date of preparation / last revision 05/19/2021 / 4.0 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Resp. Sens. 1: Respiratory sensitisation - Category 1 \* Data compared to the previous version altered.